Trop. Sci. 1990, **30**, 429–432

Author Index

ABDUL-RASSUL, E. and AMIN, A.N.M.
ADESINA, A.A. and AINA, J.O. Preservation of African star apple fruits (*Chrysophyllum albidum*) by osmotic dehydration, 249
AHOUANGNINOU, P.O. *see* VAN DEN BERGHE, C.H.
AINA, J.O. *see* ADESINA, A.A.
AMENY, M.A. Traditional post-harvest technology of cassava in Uganda, 41
AMIN, A.N.M. and ABDUL-RASSUL, E. The drying behaviour of cured, oriental tobaccos, 77
AMUGO, C.I. *see* EDEM, D.O.
ANAJEKWU, B. *see* OKAKA, J.C.
ASAGBRA, A.A. *see* FABOYA, O.O.P.

BAJAJ, K.L., KANSAL, B.D., CHADHA, M.L. and KAUR, P.P. Chemical composition of some important varieties of egg plant (*Solanum melongena* L.), 255
BAJAJ, K.L., KAUR, G. and CHADHA, M.L. Varietal variation in some important chemical constituents of onion (*Allium cepa* L.), 391
BANDA, H.L. *see* MUMBA, P.P.
BISCOE, J. *see* GIGA, D.P.
BLÁHA, J. and LOHNISKY, J. Aflatoxin production by *Aspergillus flavus* strains isolated from Vietnamese feeds, 33
BLÁHA, J., TAMCHYNOVA, J. and REISNEROVA, H. The occurrence of moulds and aflatoxin B1 in Vietnamese feeds, 21

CAI, T. and NIP, W-K. Biochemical changes in the development of fermented products from taro [*Colocasia esculenta* (L.) Schott], 379
CHADHA, M.L. *see* BAJAJ, K.L.
CHAND, N. and VERMA, S. Effect of polyvinyl chloride (PVC) coating on sunhemp fibre, 211
CHAND, N. *see also* VERMA, S.
CHAPLIN, G.E. *see* PALMER, E.R.
CHAURASIA, S.N.P. and RAM, D. Inhibition of mycelial growth and sclerotium formation in *Rhizoctonia solani* Kuhn and *Sclerotinia sclerotiorum* (Lib) de Bary by asafoetida, 15
CHITTENDEN, A.E. and PALMER, E.R. Pulping characteristics of five low density wood species grown in Belize, 167
CHUN, D., MILLER, W.R. and RISSE, L.A. Benefits of post-harvest applications of a biocide (thiabendazole) and coatings on the storage of 'Minneola' tangelos, 241
CUEVAS-PEREZ, F. and PESKE, S.T. Milling performance of rice varieties under different moisture absorption environments, 147

DEKA, E.K. *see* VAN DEN BERGHE, C.H.
DIB, H.A., MORRIS, A. and WARREN, P. Development of standard methods for the production of Lebanese whole milk and filled milk soft white cheese, 109
DUBEY, R.S. and RANI, M. Influence of sodium chloride salinity on peptidase activities and the status of total amino acids in germinating rice seeds of differing salt tolerance, 133
DUBEY, R.S. *see also* KATIYAR, S.
DUTTA, A.P. *see* PALMER, E.R.

EDEM, D.O., AMUGO, C.I. and EKA, O.U. Chemical composition of yam beans (*Sphenostylis stenocarpa*), 59
EISENDRATH, S.E. *see* GOLOB, P.
EKA, O.U. *see* EDEM, D.O.
EL BAKRI, A. *see* LOGAN, J.W.M.

FABOYA, O.O.P. and ASAGBRA, A. The physico-chemical properties of starches from some Nigerian cultivars of white yam (*Dioscorea rotundata*, Poir), 51
FRIENDSHIP, R. The fumigation of dried fish, 185

GABIR, S. *see* KHRISTOVA, P.
GANGULI, S. *see* PALMER, E.R.
GIBBS, J.A. *see* PALMER, E.R.
GIGA, D.P. and BISCOE, J. Advice to farmers on conservation of grains after harvest: the demand for extension staff training and proposals for extension programmes for small-scale farmers, 85
GOLOB, P. and EISENDRATH, S.E. Training extension workers in food conservation using drama and other informal techniques, 195
GOUGH, M., UISO, C.B.S. and STIGTER, C.J. Air convection currents in metal silos storing maize grain, 217

HARRIS, R.V. *see* SOUTHWELL, K.H.
HERRERA RODRUGUEZ, F.J. *see* REES, D.P.

JEWERS, K. and JOHN, A.E. *Alternaria* mycotoxins—possible contaminants of new sorghum varieties? 397
JOHN, A.E. *see* JEWERS, K.

KANSAL, B.D. *see* BAJAJ, K.L.
KATIYAR, S. and DUBEY, R.S. Salinity-induced accumulation of polyamides in germinating rice seeds differing in salt tolerance, 229
KAUR, P.P. *see* BAJAJ, K.L.
KETSA, S. Weight loss of tangerines as affected by peel thickness, 73
KHRISTOVA, P., GABIR, S. and TAHA, O. Soda-anthraquinone pulping of *Pinus radiata* from Sudan, 281
KRISHNAN, R. Pyrolysis and combustion characteristics of sawdust, rice husks, groundnut shells and coir dust using gas chromatography, 223

LOGAN, J.W.M. and EL BAKRI, A. Termite damage to date palms (*Phoenix dactylifera* L.) in Northern Sudan with particular reference to the Dongola District, 95
LOHNISKY, J. *see* BLÁHA, J.

MCFARLANE, J.A., SHERMAN, C. and WALKER, A.K. Differences between some strains of stored-grain beetles in their capacity to cause grain damage:

possible implications for the management of pesticide resistance, 357
MILLER, W.R. *see* CHUN, D.
MORRIS, A. *see* DIB, H.A.
MOZIE, O. and OKORO, N.N. Effect of light irradiation on wound 'curing' in white yam (*Dioscorea rotundata*, Poir) tubers, 373
MUMBA, P.P. and BANDA, H.L. Nicotine content of flue tobacco (*Nicotiana tabacum* L.) at different stages of growth, 179
MUNAVU, R.M. *see* OWOUR, P.O.
MURITU, J.W. *see* OWOUR, P.O.

NEILAND, A.E. and VERINUMBE, I. The potential of the shrub *Calotropis procera* (Aslepiadaceae) as an alternative fuel source for processing fish at Lake Chad in Nigeria: preliminary observations and indication of areas for further research, 321
NIP, W-K. *see* CAI, T.
NUSSINOVITCH, A. Chemical composition of date pits, 421

OFFEM, J.O. Chemical composition of the seeds of the timber tree, *Mimusops djave*, from south eastern Nigeria, 207
OKAKA, J.C. and ANAJEKWU, B. Preliminary studies on the production of a dry yam snack, 65
OKORO, N.N. *see* MOZIE, O.
OWOUR, P.O. Advances in the improvement of tea quality through chemical and biochemical research in Kenya, 307
OWOUR, P.O., MUNAVU, R.M. and MURITU, J.W. The effects of pruning and altitude on the fatty acid composition of tea [*Camellia sinensis* (L.)] shoots, 299

PALMER, E.R. *see* CHITTENDEN, A.E.
PALMER, E.R., GIBBS, J.A., GANGULI, S., DUTTA, A.P., POA, D.N. and CHAPLIN, G.E. Pulping characteristics of reafforestation species grown in the Solomon Islands, 263
PALMER, E.R., GIBBS, J.A., GANGULI, S. and DUTTA, A.P. The pulping characteristics of *Eucalyptus* species grown in Malawi, 271
PANIGRAHI, S. Ammonia and dietary cottonseed meal-associated brown yolk discolouration in hens' eggs, 325
PESKE, S.T. *see* CUEVAS-PEREZ, F.
POA, D.N. *see* PALMER, E.R.

QADRI, R.B. *see* RIAZ, M.

RAM, D. *see* CHAURASIA, S.N.P.
RANI, M. *see* DUBEY, R.S.
REES, D.P., RODRIGUEZ RIVERA, R. and HERRERA RODRIGUEZ, F.J. Observations on the ecology of *Teretriosoma nigrescens* Lewis (Col.: Histeridae) and its prey *Prostephanus truncatus* (Horn) (Col.: Bostrichidae) in Yucatan Peninsula, Mexico, 153
REISNEROVÁ, H. *see* BLÁHA, J.
RIAZ, M. and QADRI, R.B. Time-temperature tolerance of frozen shrimp: 2. Biochemical and microbiological changes during storage of frozen, glazed shrimps, 343
RISSE, L.A. *see* CHUN, D.
RODRIGUEZ RIVERA, R. *see* REES, D.P.

SHERMAN, C. *see* MCFARLANE, J.A.
SOUTHWELL, K.H., HARRIS, R.V. and SWETMAN, A.A. Extraction and refining of oil obtained from dried avocado fruit using a small expeller, 121
STIGTER, C.J. *see* GOUGH, M.
SWETMAN, A.A. *see* SOUTHWELL, K.H.
SY, O. and WAINWRIGHT, H. Fruit ripening with calcium carbide, 411

TAHA, O. *see* KHRISTOVA, P.
TAMCHYNOVÁ, J. *see* BLÁHA, J.
TWIMASI, K.A. Bleached pulp characteristics of some Ghanaian wood species, 289

UISO, C.B.S. *see* GOUGH, M.

VAN DEN BERGHE, C.H., AHOUANGNINOU, P.O. and DEKA, E.K. The effect of antioxidant and mould inhibitor on feed quality and the performance of broilers under tropical conditions, 5
VERINUMBE, I. *see* NEILAND, A.E.
VERMA, S. *see also* CHAND, N.
VERMA, S. and CHAND, N. Surface and structural studies of ammonium sulphate-coated sunhemp fibres, 214

WAINWRIGHT, H. *see* SY, O.
WALKER, A.K. *see* MCFARLANE, J.A.
WARREN, P. *see* DIB, H.A.

Subject Index

Acetylene, role in fruit ripening, 411
Aflatoxin
  in feeds, 33
  produced by fungi, 33
Aflatoxin B1, in feeds, 21
African star apple, 249
Agmatine, in rice, 229
Agronomic practice, effect on tea, 307
Alcoholic fermentation, of taro, 379
Allium cepa, 391
Alternaria spp., 397
Alternariol, produced by *Alternaria* spp., 397
Alternariol monomethyl ether, produced by *Alternaria* spp., 397
Altitude, effect on tea, 299
Amino acids, rice, 133
Ammonia, effects on hens' egg, 325
Asafoetida
  effects on mycelial growth, 15
  effects on sclerotia formation, 15
Aspergillus flavus, 33
Avocado oil, 121

Belize, 167
Benin, 5
Biological control, insect pests, 153
Black tea, 307
Bleaching
  Ghanaian wood, 289
  reafforestation spp. pulp, 263
Broilers
  feed conversion, 5
  mortality rate, 5
  weight gain, 5
Bulk storage
  convection currents, 217
  maize, 217

Calcium carbide, role in fruit ripening, 411
Calotropis procera, 321
Camellia sinensis, 299, 307
Campnosperma brevipetiolata, 263
Cassava, 41
Cecropia peltata, 167
Chemical composition
  of date pits, 421
  of egg plant, 255
  of Eucalyptus spp., 271
  of *Mimusops djave*, 207
  of onions, 391
  of *Pinus* spp., 281
  of tea, 307
Chemical pulping, reafforestation spp., 263
Chrysophyllum albidum, 249
Citrus paradisi × *reticulata*, 241
Citrus reticulata, 73
Colocasia esculenta, 379
Colouring matter, in onions, 391
Combustion
  coir dust, 223
  groundnut shells, 223
  rice husks, 223
  sawdust, 223
Cottonseed meal, effect on hens' egg, 325
Crotolaria juncea, 211, 214
Cured fish, 185

Date palm
  crop loss, 95
  termite damage, 95
Date pits, 421
Deccosan, 315
  use in tangelo post-harvest storage, 241
Dermestes, sp., 185
Dioscorea cayenensis, 51
Dioscorea rotundata, 51, 65, 373
Dried fish, 185
Drying, oriental tobacco, 77

Egg plant, 255
Ethylene, role in fruit ripening, 411
Eucalyptus camaldulensis, 271
Eucalyptus citriodora, 271
Eucalyptus cloeziana, 271
Eucalyptus deglupta, 263
Eucalyptus grandis, 271
Eucalyptus maculata, 271
Eucalyptus maidenii, 271
Eucalyptus saligna, 271
Eucalyptus tereticornis, 271
Extension programmes, 85, 195

Farm storage, 153
Fatty acids
  in date pits, 421
  in tea, 299
Feed quality
  effects of antioxidant, 5
  effects of mould inhibitor, 5
Feeds
  groundnut oil cake, 33
  maize, 33
Fibre dimensions
  Eucalyptus spp., 271
  Pinus spp., 281
Film wrapping, to reduce tangelo decay, 241
Fish processing 321
Flue tobacco, nicotine content, 179
Freezing, African star apple, 249
Fruit preservation, African star apple, 249
Fruit ripening, 411
Fuel, for fish processing, 321
Fumigant residues
  in cured fish, 185
  in dried fish, 185
Fumigation
  cured fish, 185
  dried fish, 185
  salted fish, 185
  smoked fish, 185
Fungi, in feeds, 21
Fungicides, 249

Ghana, 289
Gmelina arborea, 289
Gossypol
  effects on hens' egg, 325
Grain conservation, 85
Grain damage, 357
Grain moisture, 147
Guar gum, 281

Heliocarpus donell-smithii, 167
Hens' egg, yolk discolouration, 325

Insect pests, biological control, 153

Kenya, 307

Lachrymatory factor, of onions, 391
Lake Chad, 321
Larger grain borer, 195
Lebanese cheeses, 109
Light irradiation, yams, 373

Macrotermitinae, 95
Maize, 153, 217
Makore, 207
Malawi, 271
Manihot esculenta, 41
Manufacturing practice, effect on tea, 307
Microbiological change, in frozen glazed shrimp, 343
Milling, rice, 147
Mimusops djave, 207
Moisture absorption, rice, 147

Musanga cecropioides, 289
Mycotoxins, produced by *Alternaria* spp., 397

Necrobia rufipes, 185
Nicotiana tabacum, 77, 179
Nicotine, in flue tobacco, 179
Nigeria, 321
Nutritive value, yam beans, 59

Ochroma lagopus, 167
Odontotermes sp., 95
Oil expeller, 121
Onions, 391
Oriental tobacco, 77
Oryza sativa, 133, 229
Osmotic dehydration, African star apple, 249

Papermaking potential, *Eucalyptus* spp., 271
Papermaking, 281
Penaeus merguiensis, 343
Persea americana, 121
Pest management, inter-strain differences, 357
Phoenix dactylifera, 95
Phosphine-resistance
  R. dominica, 357
  S. oryzae, 357
Pinus caribaea, 263, 289
Pinus oocarpa, 263
Pinus radiata, 281
Polyamines, in rice, 229
Post-harvest bookshelf, 425
Post-harvest storage, tangelos, 241
Processing methods
  avocado oil, 121
  cassava, 41
Production methods
  imitation cheese, 109
  soft white cheese, 109
Prostephanus truncatus, 153, 195
Pruning, tea, 299
Pulping, Ghanaian wood, 289
Pulping characteristics
  low density wood species, 167
  Pinus sp., 281
Putrescine, in rice, 229
Pyrolysis
  coir dust, 223
  groundnut shells, 23
  rice husks, 223
  sawdust, 223
Pyruvic acid, in onions, 391
pH effects, in hens' egg, 325

Rhizoctonia solani, 15
Rhyzopertha dominica, 357
Rice, 133, 147, 229
Rotting, yams, 373

Salinity effects, in rice, 133, 229
Salt tolerance, in rice, 133, 229
Salted fish, 185
Saponins, in *Mimusops djave*, 207
Schizolobium parahyba, 167
Sclerotinia sclerotiorum, 15
Shrimp, 343
Sitophilus oryzae, 357
Smoked fish, 185
Soda pulp, 271
Soda-anthraquinone pulping, 271, 281
Solanum melongena, 255
Solomon Islands, 263
Spermidine, in rice, 229
Spermine, in rice, 229
Sphenostylis stenocarpa, 59
Spondias mombin, 167
Storage,
  training, 195
  yams, 373
Storage biochemical change, in frozen glazed shrimp, 343
Stored products, 153
Strength characteristics, Ghanaian wood, 289
Sudan, 95, 281
Sulphate pulp, 271
Sunhemp
  flame retarding, 214
  polyvinyl chloride coating, 211

Tangelo
  commercial shipping, 241
  export, 241
Tangerine
  peel thickness, 73
  stomata effect on weight loss, 73
Tanzania, 195, 217
Taro, 379
Tea, 299, 307
Tenuazonic acid, produced by *Alternaria* spp., 397
Teretriosoma nigrescens, 153
Terminalia brassii, 263
Terminalia calamansanai, 263
Termites control, 95
Thiabendazole, use in tangelo post-harvest storage, 241
Time-temperature tolerance, in frozen glazed shrimp, 343
Tobacco, 77
Total soluble solids, in onions, 391
Toxigenic fungi, in sorghum, 397
Training, 195
  post-harvest, 85
Tropical shrimp, 343

Uganda, 41

Varietal screening
  rice, 133
Vietnam, 21, 33

Wax coating, to reduce tangelo decay, 241
White yam, 373
  starch properties, 51
Wood characteristics, reafforestation spp., 263
Wood density, *Eucalyptus* spp., 271
Wound curing, in yam tubers, 373

Yam, 59, 65, 373
  drying for snack food, 65
  starch properties, 51
Yam beans
  composition, 59
  nutritive value, 59